ELSEVIER

Wear 212 (1997) 271

WEAR

Author Index of Volume 212

Abhary, K., 131
Aleem, A., 140
Alpas, A.T., 41
Aslanyan, I.R., 160

Barbezat, G., 66
Barton, J.S., 221
Barykin, N.P., 160
Bermúdez, M.-D., 188
Bozet, J.L., 18

Cadenas, M., 244
Carolan, T.A., 221
Carrión-Vilches, F.-J., 188
Celis, J.P., 151
Chang, W.-R., 229
Chen, D.-R., 7
Coban, A., 140

Doğan, C.P., 110

Eda, H., 183
Evans, C.J., 59

Feng, D., 238
Fucheng, Z., 195

Galligan, J., 213
Gao, J., 238
Ghomashchi, R., 131

Hand, D.P., 221
Hawk, J.A., 110
Huq, M.Z., 151

Jain, V.K., 1
Jakubowski, K., 199
Jones, J.D.C., 221

Kapoor, A., 119
Kevin Chou, Y., 59
Kidd, S.R., 221
Krishnamurthy, R., 78
Kula, P., 199

Liraut, G., 213
Liu, J., 238
Liu, J.J., 50

Mäntylä, T., 66
Mao, S., 238
Martínez-Nicolás, G., 188
Montes, H.J., 244
Morris, Jr. , J.W., 165

Nacy, S.M., 95
Nickel, J., 140
Niemi, K., 66
Nieminen, R., 66

Olver, A.V., 265

Parslow, G.I., 103
Pidduck, A.J., 254
Pietrasik, R., 199
Prabhu, B.S., 33
Pui, D.Y.H., 7
Pukl, B., 173

Qiu, Z.L., 206

Randall, N.X., 18
Ravindra, H.V., 78
Reddy, D.S.K., 33
Reid, I., 131
Reuben, R.L., 221
Rosado, L., 1

Sadykov, F.A., 160
Sami, M., 140
Sauger, E., 50
Shuja, S.Z., 140
Sierra, J.M., 244
Skarpelos, P., 165
Smith, G.C., 254
Spuzic, S., 131
Srinivasa, Y.G., 78
Stephenson, D.J., 103
Strutt, J.E., 103

Su, Y.L., 85
Swarnamani, S., 33

Tetlow, S., 103
Tieu, A.K., 206
Tingquan, L., 195
Tomita, Y., 183
Torrance, A.A., 213
Trivedi, H.K., 1

Vijande, R., 244
Vincent, L., 50
Vodopivec, F., 173
Vuoristo, P., 66

Wang, G.B., 25
Wendler, B., 199
Wilkinson, P., 221
Wilson, S., 41
Woo, K.-S., 7

Yao, S.H., 85
Yilbas, B.S., 140

Zec, M., 131
Zhou, Z.R., 50

Elsevier Science S.A.

ELSEVIER

Wear 212 (1997) 273–276

WEAR

Subject Index of Volume 212

Abrasion
fractional design of experiments applied to a wear simulation, 131
Abrasive wear
role of zirconia toughening in the abrasive wear of intermetallic and ceramic composites, 110
Acoustic emission
acoustic emission for tool condition monitoring in metal cutting, 78
Adamite
fractional design of experiments applied to a wear simulation, 131
Additives
tribological properties of liquid crystals as lubricant additives, 188
AFM
scanning probe microscopy of automotive anti-wear films, 254
Airborne contaminants
effect of airborne contaminants on magnetic head wear, 7
Alumina
role of zirconia toughening in the abrasive wear of intermetallic and ceramic composites, 110
Aluminium alloy
the fretting behaviour of AlSi7Mg-T6, 173
influence of grinding fluid on ultra precision processing of high purity aluminium alloy by grinding stone, 183
Aluminium alloys
wear mechanism maps for metal matrix composites, 41
Amsler test
scanning probe microscopy of automotive anti-wear films, 254
Anti-wear film
scanning probe microscopy of automotive anti-wear films, 254
Asperity contact
scanning probe microscopy of automotive anti-wear films, 254
Austenitic manganese steel
a study of friction-induced martensitic transformation for austenitic manganese steel, 195

Bore polishing
a model of the friction of a smooth hard surface sliding over a softer one, 213
Boundary fiction
a model of the friction of a smooth hard surface sliding over a softer one, 213

Cam follower
scanning probe microscopy of automotive anti-wear films, 254
Carbide sizes
tool wear mechanism in continuous cutting of hardened tool steels, 59
Chamfering
effect of chamfering on side-leakage flow rate of journal bearings, 95
Chromium carbonitride (Cr(C,N))
the tribological potential of CrN and Cr(C,N) deposited by multi-arc PVD process, 85
Chromium nitride (CrN)
the tribological potential of CrN and Cr(C,N) deposited by multi-arc PVD process, 85

Coast down
experimental investigation on the performance characteristics of tilting pad journal bearings for small L/D ratios, 33
Coatings
wear behaviour of laser cladded and plasma sprayed WC–Co coatings, 244
correlation factors for the 2D coated Hertzian contact problem, 265
Coefficient of friction
the fretting behaviour of AlSi7Mg-T6, 173
Composites
role of zirconia toughening in the abrasive wear of intermetallic and ceramic composites, 110
Contact stress
wear by plastic ratchetting, 119
correlation factors for the 2D coated Hertzian contact problem, 265
Contact width
correlation factors for the 2D coated Hertzian contact problem, 265
Copper
the influence of strain–heat processing on copper wear, 160
Cubic boron nitride (CBN) tools
tool wear mechanism in continuous cutting of hardened tool steels, 59

Debris
tribochemical effects of some polymers/stainless steel, 238
Diamond-like carbon
the effect of diamond-like carbon coatings on the rolling fatigue and wear of M50 steel, 1
Dissipated energy
reproducibility of friction and wear results in ball-on-disc unidirectional sliding tests of TiN–alumina pairings, 151

Elastic–plastic contact
an elastic–plastic contact model for a rough surface with an ion-plated soft metallic coating, 229
Electrogalvanized sheet steel
the effect of surface morphology on friction during forming of electrogalvanized sheet steel, 165
Erosion indication technique
paint layer erosion resistance behaviour for use in a multilayer paint erosion indication technique, 103
Experimental
identification of sixteen force coefficients of two journal bearings from impulse responses, 206
Experiments
experimental investigation on the performance characteristics of tilting pad journal bearings for small L/D ratios, 33

Face milling
surface features as indicators of tool chipping in single point face milling of aluminium, 221
Fibre optic probe
surface features as indicators of tool chipping in single point face milling of aluminium, 221

Elsevier Science S.A.

Force coefficient
identification of sixteen force coefficients of two journal bearings from impulse responses, 206
Fractional experimental design
fractional design of experiments applied to a wear simulation, 131
Fretting
nucleation and early growth of tribologically transformed structure (TTS) induced by fretting, 50
the fretting behaviour of AlSi7Mg-T6, 173
Fretting damage
the fretting behaviour of AlSi7Mg-T6, 173
Friction
reproducibility of friction and wear results in ball-on-disc unidirectional sliding tests of TiN–alumina pairings, 151
the effect of surface morphology on friction during forming of electrogalvanized sheet steel, 165
scanning probe microscopy of automotive anti-wear films, 254
Friction-induced transformation
a study of friction-induced martensitic transformation for austenitic manganese steel, 195

Grinding fluid
influence of grinding fluid on ultra precision processing of high purity aluminium alloy by grinding stone, 183
Grinding stone
influence of grinding fluid on ultra precision processing of high purity aluminium alloy by grinding stone, 183

Hard coatings
the effect of diamond-like carbon coatings on the rolling fatigue and wear of M50 steel, 1
Hardened surface layers
the effect of hydrogen in lubricated frictional couples, 199
Hard turning
tool wear mechanism in continuous cutting of hardened tool steels, 59
Head wear
effect of airborne contaminants on magnetic head wear, 7
Hertz
correlation factors for the 2D coated Hertzian contact problem, 265
High-temperature oxidation
fractional design of experiments applied to a wear simulation, 131
HVOF
rolling contact fatigue failure mechanisms in plasma and HVOF sprayed WC–Co coatings, 66
Hydrogen tribosorption
the effect of hydrogen in lubricated frictional couples, 199
Hydrogen wear
the effect of hydrogen in lubricated frictional couples, 199

Identification
experimental investigation on the performance characteristics of tilting pad journal bearings for small L/D ratios, 33
Impulse response
identification of sixteen force coefficients of two journal bearings from impulse responses, 206

Journal bearings
effect of chamfering on side-leakage flow rate of journal bearings, 95
identification of sixteen force coefficients of two journal bearings from impulse responses, 206

Laser cladding
wear behaviour of laser cladded and plasma sprayed WC–Co coatings, 244
Laser melting
laser melting of plasma nitrided Ti–6Al–4V alloy, 140

LFM
scanning probe microscopy of automotive anti-wear films, 254
Liquid crystals
tribological properties of liquid crystals as lubricant additives, 188

M50 steel
the effect of diamond-like carbon coatings on the rolling fatigue and wear of M50 steel, 1
Magnetic recording
effect of airborne contaminants on magnetic head wear, 7
Mechanistic
fractional design of experiments applied to a wear simulation, 131
Metal matrix composites
wear mechanism maps for metal matrix composites, 41
Metal removal
influence of grinding fluid on ultra precision processing of high purity aluminium alloy by grinding stone, 183
Microstructure
fractional design of experiments applied to a wear simulation, 131
Molybdenum disilicide
role of zirconia toughening in the abrasive wear of intermetallic and ceramic composites, 110
Mossbauer spectroscopy
a study of friction-induced martensitic transformation for austenitic manganese steel, 195
Multi-arc physical vapour deposition (PVD)
the tribological potential of CrN and Cr(C,N) deposited by multi-arc PVD process, 85
Multidisciplinary
fractional design of experiments applied to a wear simulation, 131

Nanoindentation
nanoindentation and scanning force microscopy as a novel method for the characterization of tribological transfer films, 18
Normal contact
an elastic–plastic contact model for a rough surface with an ion-plated soft metallic coating, 229
Nucleation parameters
nucleation and early growth of tribologically transformed structure (TTS) induced by fretting, 50

Oil whirl
identification of sixteen force coefficients of two journal bearings from impulse responses, 206
Optical microscopy
laser melting of plasma nitrided Ti–6Al–4V alloy, 140

Pad temperature
experimental investigation on the performance characteristics of tilting pad journal bearings for small L/D ratios, 33
Paint finish
the effect of surface morphology on friction during forming of electrogalvanized sheet steel, 165
Paint layers
paint layer erosion resistance behaviour for use in a multilayer paint erosion indication technique, 103
Pin-on-disk
tribological properties of liquid crystals as lubricant additives, 188
Plasma
wear behaviour of laser cladded and plasma sprayed WC–Co coatings, 244
Plasma nitriding
laser melting of plasma nitrided Ti–6Al–4V alloy, 140
Plasma spray
rolling contact fatigue failure mechanisms in plasma and HVOF sprayed WC–Co coatings, 66

Plastic ratchetting
wear by plastic ratchetting, 119
Polymer
tribochemical effects of some polymers/stainless steel, 238
Power spectrum
the effect of surface morphology on friction during forming of electro-galvanized sheet steel, 165
Process control
acoustic emission for tool condition monitoring in metal cutting, 78

Reproducibility
reproducibility of friction and wear results in ball-on-disc unidirectional sliding tests of TiN–alumina pairings, 151
Rolling
fractional design of experiments applied to a wear simulation, 131
Rolling contact fatigue
the effect of diamond-like carbon coatings on the rolling fatigue and wear of M50 steel, 1
rolling contact fatigue failure mechanisms in plasma and HVOF sprayed WC–Co coatings, 66

Scanning electron micrographs
fractional design of experiments applied to a wear simulation, 131
Scanning force microscopy
nanoindentation and scanning force microscopy as a novel method for the characterization of tribological transfer films, 18
Scratch testing
fractional design of experiments applied to a wear simulation, 131
Severe plastic deformation
the influence of strain–heat processing on copper wear, 160
Side leakage
effect of chamfering on side-leakage flow rate of journal bearings, 95
Signal error rate
effect of airborne contaminants on magnetic head wear, 7
Simulation
fractional design of experiments applied to a wear simulation, 131
Sliding
wear by plastic ratchetting, 119
Sliding wear
wear mechanisms in vanadium carbide coated steels, 25
Soft coating
an elastic–plastic contact model for a rough surface with an ion-plated soft metallic coating, 229
Solid particle erosion
paint layer erosion resistance behaviour for use in a multilayer paint erosion indication technique, 103
Spectral analysis
surface features as indicators of tool chipping in single point face milling of aluminium, 221
Stainless steel
tribochemical effects of some polymers/stainless steel, 238
Steel–aluminum lubricated wear
tribological properties of liquid crystals as lubricant additives, 188
Stochastic
fractional design of experiments applied to a wear simulation, 131
Submicrocrystalline structure
the influence of strain–heat processing on copper wear, 160
Surface deposition
wear mechanisms in vanadium carbide coated steels, 25
Surface finish
surface features as indicators of tool chipping in single point face milling of aluminium, 221
Surface morphology
the effect of surface morphology on friction during forming of electro-galvanized sheet steel, 165
Surface roughness
influence of grinding fluid on ultra precision processing of high purity aluminium alloy by grinding stone, 183

Thermal spraying
rolling contact fatigue failure mechanisms in plasma and HVOF sprayed WC–Co coatings, 66
Tilting pad
experimental investigation on the performance characteristics of tilting pad journal bearings for small L/D ratios, 33
Titanium alloy
laser melting of plasma nitrided Ti–6Al–4V alloy, 140
Tool steels
tool wear mechanism in continuous cutting of hardened tool steels, 59
Tool wear
tool wear mechanism in continuous cutting of hardened tool steels, 59
surface features as indicators of tool chipping in single point face milling of aluminium, 221
Tribochemistry
tribochemical effects of some polymers/stainless steel, 238
Tribologically transformed structures
nucleation and early growth of tribologically transformed structure (TTS) induced by fretting, 50
Tribological properties
tribological properties of liquid crystals as lubricant additives, 188
Tribological transfer films
nanoindentation and scanning force microscopy as a novel method for the characterization of tribological transfer films, 18
Tribology
scanning probe microscopy of automotive anti-wear films, 254
Tungsten carbide
wear behaviour of laser cladded and plasma sprayed WC–Co coatings, 244
Two-disc testing
fractional design of experiments applied to a wear simulation, 131

Unidirectional sliding
reproducibility of friction and wear results in ball-on-disc unidirectional sliding tests of TiN–alumina pairings, 151

Vanadium carbide
wear mechanisms in vanadium carbide coated steels, 25
Vanadizing
wear mechanisms in vanadium carbide coated steels, 25
Videotape recorder
effect of airborne contaminants on magnetic head wear, 7

WC–Co
wear behaviour of laser cladded and plasma sprayed WC–Co coatings, 244
WC–Co coatings
rolling contact fatigue failure mechanisms in plasma and HVOF sprayed WC–Co coatings, 66
Wear
the effect of diamond-like carbon coatings on the rolling fatigue and wear of M50 steel, 1
fractional design of experiments applied to a wear simulation, 131
Wear debris
wear by plastic ratchetting, 119
reproducibility of friction and wear results in ball-on-disc unidirectional sliding tests of TiN–alumina pairings, 151
Wear intensity
the influence of strain–heat processing on copper wear, 160
Wear maps
wear mechanism maps for metal matrix composites, 41
Wear mechanisms
wear mechanisms in vanadium carbide coated steels, 25

Wear monitoring
acoustic emission for tool condition monitoring in metal cutting, 78
Wear particle generation
effect of airborne contaminants on magnetic head wear, 7
Wear rate
wear behaviour of laser cladded and plasma sprayed WC–Co coatings, 244
Wear resistance
a study of friction-induced martensitic transformation for austenitic manganese steel, 195
White layer
nucleation and early growth of tribologically transformed structure (TTS) induced by fretting, 50
Worn surface
the influence of strain–heat processing on copper wear, 160

ZDDP
scanning probe microscopy of automotive anti-wear films, 254
Zirconia-toughened
role of zirconia toughening in the abrasive wear of intermetallic and ceramic composites, 110